

Be Original.





Next-Generation Colour MFPs for Simply Better Business

Sharp's next-generation full-colour MX-3560N/3060N MFPs are packed with state-of-the-art technologies that add new value to your workflow. Thanks to the user-friendly design of these MFPs—including a new Easy UI mode—a wide variety of users can access their advanced functions easily and intuitively. Adding one of these high performers to your talent pool is a great way to make your business grow.







Easy Copy mode

Easy Scan mode

Simply Better Process

Business owners / directors

Transform the way you use information in your business by connecting one of these new MFPs to a variety of mobile devices and cloud services. Now you don't have to be confined to the office—you and your team can work anytime, anywhere. The amazing flexibility of these Sharp MFPs can help you grab new business opportunities and boost your bottom line.

Link to Public Cloud and Mobile Printing Services*

These MFPs enable single sign-on for easy access to public cloud services such as Google Drive™, OneDrive® for Business, SharePoint® Online, and Box. They also support mobile printing services such as Google Cloud Print™, AirPrint, Mopria™, and Sharp Print Service Plugin.

* For details, see pages 5 and 6.

Home screen

Mobile devices

Convert Documents via OCR

OCR capability on the MX-3560N/3060N lets you convert a scanned document into a searchable PDF file or into an editable Office Open XML (docx, xlxs, pptx) file. This means you can do speedy text searches, even with large-volume documents, and you can easily copy and paste text data into other applications. Functions like these help you maximise work efficiency.



Simply Better Experience

Office users

Sharp's proprietary technologies give each of these MFPs quick warm-up and first copy times. A motion sensor—a first for a Sharp MFP—lets you use the machine without feeling like you have to wait. Thanks to their intuitive operation and superb usability, the MX-3560N/3060N simplifies even the most complex work processes and help you finish document jobs fast.



Easy User Interface

The intuitive Easy UI mode makes it easy for anyone to use the MFP's advanced functions. In this mode, simple function icons are displayed on the 10.1-inch colour LCD touchscreen. Each user can customise the home screen by drag-and-dropping icons for commonly used functions, making for smoother, more efficient operation.



Motion Sensor

A built-in motion sensor detects your approach to the MFP and wakes it from Sleep mode. The control panel lights up and the machine finishes warming up as you enter your desired copy or scan settings. Then, with a minimum of waiting, you simply push the Start button to get the job underway.

Note: Detection range can be set to three different ranges.



Simply Better Admin


IT managers / administrators

These MFPs fit securely and seamlessly into your office system. An advanced security environment and new, easily viewable administration tools reduce the workload for system administrators and give full support to their management duties.



Secure Access Control


The MX-3560N/3060N supports the **Active Directory**® service, which lets you use the machine's log-on credentials for network folders. With centralized management of multiple user credentials, system administrators are able to keep track of MFP usage, which makes for an efficient and highly secure operational environment. And with **single sign-on**, you can access cloud services and internal network folders from the MX-3560N/3060N by simply logging in to the MFP—there's no need to re-enter your IDs and passwords.



Integrated Device Management

As a system administrator, you can get the most out of a Sharp document system by using Sharp's efficiency-boosting device management tools. From a single location, you can use Sharp Remote Device Manager* (SRDM) to manage multiple Sharp MFPs. This includes everything from system setup, user access, and security settings to troubleshooting and maintenance. It's quick. It's effective. And it takes the hassle out of MFP management.

* Contact a Sharp customer representative for availability and other details.



Sharp Remote Device Manager

EASE OF USE

The smartly designed MX-3560N/3060N sets the standard for usability. Ergonomic and intuitive features ensure everyone can enjoy stress-free operation of the MFP.

10.1-Inch Colour LCD Touchscreen

A user-friendly touchscreen interface incorporating a new Easy UI mode makes it easy and intuitive to operate the MFP. The Advanced Preview function, meanwhile, lets you check document finishes and page layout in advance, edit pages easily, and preview documents in various modes.





Direct Printing/Scanning with USB Drives

Insert a USB drive into the MFP and a print/scan command screen will automatically pop up on the LCD. Right away you can print files from the USB drive—which are displayed as thumbnails—or you can scan documents directly to the USB drive.




Printer Driver with Easy Setup

The printer driver setup window features a simple design that includes larger buttons and drop-down menus, making it easier than ever to use printer functions.



LED Status Lamps

Next to the control panel are two LED lamps: one red, one green. These light up to notify you—even from a distance—of the status of the machine.





Universal Design

Accessibility

These MFPs comply with the accessibility guidelines outlined in US Section 508 and EU Mandate 376. This means that all user aspects—from the heights of the control panel and glass platen to the readability of the LCD—have been designed with consideration for usability by people with disabilities.



Operability 1,220 mm or lower Easy visibility 1.015 mm or lower Platen guide fully reachable 865 mm or lower

4 paper drawers (low stand) **Utility Table**

An optional Utility Table gives you a handy place to lay documents or a mobile device such as a tablet when you're working at the MFP. An IC card reader* can be built underneath the table.



* Commercially available

Lock-on Handles

The paper drawers on these MFPs feature easy-grip, lock-on handles. As well as enabling easy opening and closing, they ensure that the paper drawers close properly, thereby enhancing safety in the event of a disaster such as an earthquake.

Free-Tilting Control Panel

The control panel can be tilted freely at various angles for easy viewing and easy operation, even from a wheelchair. Having the control panel at the perfect viewing angle means you can reduce eye strain and avoid making input errors.



Remote Operation*

The Remote Operation function lets you display the MFP's main control panel on the screen of your PC or mobile device. From a remote location, you can then check MFP settings or reprint data stored on the MFP. This function also enables the administrator to guide an MFP user through necessary procedures and allows remote MFP operation from a wheelchair.

* Requires VNC application. Simultaneous remote operation from two or more PCs or mobile devices is not possible. Remote operation also depends on the network environment and applications being used. Contact a Sharp customer representative for details

SUPERB IMAGE QUALITY

When it comes to image quality, the MX-3560N/3060N delivers a reliably excellent performance. Thanks to their outstanding precision and colour quality, these MFPs lend your documents a beautifully professional look.

Easy, High-Quality Copying and Scanning

Through an advanced three-step process, **Auto Colour Mode** provides fully automated copying and scanning in both colour and B/W—with a simple press of the Start button. Here's how it works: **Auto Colour Selection** automatically determines whether a page is colour or B/W. **Auto Original Type Selection** then analyses page contents to distinguish between different components (such as photos and text) and selects the appropriate mode. Finally, **Background Suppression** automatically removes unnecessary background colour.

Auto Colour Mode



Text comes out crisp and clear, and unnecessary background colour is automatically removed

Developer Refresh System

By discharging old developer little by little and continuously replacing it with new developer, this system prevents developer deterioration and ensures stable print quality over the long term.



PCL 6 and True Adobe® PostScript® 3™

For better graphics handling, these MFPs come standard with both PCL 6 and true Adobe PostScript 3. In addition, the PostScript driver allows you to use the dot screening technique so that you can emulate the high-quality printing of commercial offset printers.

High-Resolution Output

Each MFP's print engine supports $1,200 \times 1,200$ dpi printing and copying*. Digital smoothing technology delivers print and copy resolution at the equivalent of $9,600 \times 600$ dpi, giving you ultra-clear image quality. Fine lines and small text come out looking crisper and easier to read.


* Copying in B/W only.

PANTONE® Colour Matching

In colour-critical printing environments, these MFPs let you create professional-grade documents using the global-standard PANTONE MATCHING SYSTEM®. With this value-adding feature, Sharp MFPs bring high performance, reliability, and consistent colour quality to the job of producing business documents.


Wide Colour Gamut

By thoroughly revamping the imaging process, Sharp was able to expand the colour gamut for these MFPs. As a result, colour reproduction is more faithful and vivid compared to previous models.




Auto Process Control

To maintain consistently high image quality during large-volume print jobs, these MFPs employ a periodic colour calibration system. Image density sensors read high-density and halftone colour patches and feed the information back to the image control unit. The MFP can then make adjustments to minimise colour variance between pages.



Line Width Adjustment

This function adjusts the width of lines. Fine lines, which are otherwise difficult to render properly, turn out sharp and crisp. Intricate line drawings, complex graphs and charts, and detailed spreadsheets are reproduced with exceptional quality and precision.



SECURE INFORMATION SHARING

Whether you're in the office or out and about, being able to share information easily and securely is vital to the smooth running of your business. Secure information sharing with a Sharp MFP transforms your working style and helps you grab new opportunities before they pass.

Link to Cloud Services*1

An MX-3560N/3060N doesn't just connect to your local server. It also connects with cloud services directly from the MFP's control panel. You can upload scanned data to Google Drive, OneDrive for Business, SharePoint Online, or Box*2—or print directly from any of them. Using a cloud service like this can save you the time and cost of setting up and managing a server within your company. Once you log in to the MFP, its single sign-on feature allows you to quickly access multiple software services without having to sign in to each one separately. It's a true time-saver that gets your document jobs finished faster.


*1: Requires optional MX-AMX2. *2: Contact a Sharp representative for details.

Link with Mail Servers

Scanned data can be conveniently sent via your regular Gmail™ or Microsoft® Exchange/Online account. Sending e-mail is as easy as choosing a recipient from your address book on the mail server. Scanned data that you send can be stored on the mail server with other sent items.

Sharp OSA* (Open Systems Architecture)

Innovative Sharp OSA technology allows you to interact with critical business and network applications right from the LCD control panel, offering a new realm of control and convenience. And since Sharp OSA utilises industry-standard network protocols, the MX-3560N/3060N can easily integrate with document management systems, enterprise resource planning software, workflow applications, and more. The latest version of Sharp OSA can reach beyond the firewall, enabling extensive system construction as well as services delivered over the Internet such as cloud services. In this way, Sharp OSA provides a foundation for cost reductions and information sharing across the entire company organisation—effectively enhancing total business efficiency.




Multi-Layered Security

Sharp's powerful data security solutions protect your business assets and give you peace of mind. These MFPs safeguard your sensitive data by employing multiple levels of security functions covering a broad range of network and data security needs.

Network Security and Access Control

- **S/MIME** provides secure e-mail communications*

 * Only when e-mailing scanned data.
- **SSL** (secure sockets layer) and **IPsec** data encryption technologies ensure secure network communications
- **User Authentication** covering up to 1,000 users prevents unauthorised MFP use by requiring access passwords
- Active Directory enables integrated management of user credentials, thereby providing a highly secure and efficient environment for system administrators



^{*} Requires optional MX-AMX2 and/or MX-AMX3.

Two-Way Sharing with Mobile Devices

Connecting an MX-3560N/3060N to one or more mobile devices is easy, and it expands your options for sharing data. Not only can you send scanned documents to mobile devices such as smartphones and tablets, you can also print documents or photos sent from those devices.

Sharpdesk Mobile*1

Sharpdesk Mobile is a mobile print/scan app that connects the MFP to mobile devices via wireless LAN. You can easily link your mobile device to the MFP by simply holding it over the MFP's NFC card reader or by scanning the MFP's QR Code*2.

*1: Availability varies by country/region. For details, see the Sharpdesk Mobile support website:


http://sharp-world.com/products/copier/docu_solutions/mobile/sharpdesk_mobile/

*2. The NFC interface is for Android™ devices; the QR Code is for iOS devices. Contact a Sharp representative for details on the NFC card reader.

Mobile Printing Services

These MFPs support Google Cloud Print, AirPrint, Mopria, and Sharp Print Service Plugin.





Wireless Connections*

These MFPs offer ultra-handy wireless access via two easy modes, enabling convenient access to the MFP even from places where a wired LAN is not available.

* Availability varies by country/region.

Infrastructure mode wirelessly connects the MFP to mobile PCs/devices via a commercially available wireless LAN router.



Access point mode wirelessly connects a LAN-wired MFP to mobile PCs/devices without going through a wireless LAN router.



Note: External networks cannot be accessed via the MFP. Up to five mobile devices can be wirelessly connected to the MFP at the same time.



Services

SharePoint® Online

> SSL and IPsec **Encrypted PDF**





Stops information leaks

Hidden Pattern Copy/Print Tracking Information Print

Document Protection

• Document Control prevents unauthorised use of confidential documents by embedding copy

Note: Requires optional Data Security Kit. May not work with certain types of paper, documents (such as those with a large volume of photos), or MFP settings.

- Hidden Pattern Copy/Print embeds a watermark, such as "Confidential" or "Not for Copy," onto a document
- Tracking Information Print prints the MFP user's name, the date, job ID, and other specifics on printouts, making it possible to track documents

Data Protection

- Job data is automatically **encrypted** before being saved to the MFP's internal storage. Once a job is finished, its encrypted data is **erased** by up to 10 automatic overwrites.
 - Note: Contact a Sharp customer representative for details on activating this function.
- Retained data can be initialised when it's time to replace the MFP, preventing the leakage of confidential information

HIGH PRODUCTIVITY

Whether a document job is big or small, you want to get it done quickly and efficiently. The superb performance of these MFPs promises you a smooth workflow and high productivity.

Super-Efficient Colour and B/W Output

The MX-3560N/3060N delivers a fast output of 35/30 ppm* in B/W and in full colour. The first copy comes out in just 4.7 seconds in B/W and 6.7 seconds in full colour, saving you valuable time when performing multiple short-run jobs.

 * A4 (8 $^{1}/_{2}$ " x 11"), long-edge feeding



MX-3560N MX-3060N

Print Release

The Print Release function lets you send documents to the main MFP, which acts as a server and stores them for printing out from any other compatible MFP on the network. This function comes in handy when the main MFP is in use or under maintenance, letting you finish your job with minimal waiting.

Versatile Paper Handling

Most of the MX-3560N/3060N's paper trays accommodate a wide variety of paper, in sizes up to SRA3 and in weights up to 300 g/m². These MFPs can also handle extra-long paper up to 1,300 mm*. In addition to plain paper, the MFPs accommodate a number of other paper types, including coated, textured, embossed, and removable adhesive paper. Such versatile paper handling expands the range of possible printing applications.

* Sharp recommends using the optional MX-LT10 for this function. Please contact a Sharp customer representative for details.

Office Direct Printing

Print common Microsoft Office files without using a PC. With a MX-3560N/3060N, you can print a Word, Excel®, or PowerPoint® file directly from a mobile device, cloud service, USB drive, or file

Note: The actual printout may look different than what is displayed on the computer screen. This function is enabled via DirectOffice™ technology.



Job Separator Tray

The Job Separator Tray option prevents copy/print/fax jobs from getting mixed together. Thanks to this interior output tray system, the MFP can provide up to four output destinations when it's equipped with an exit tray and external finisher.




Finisher Options

These MFPs offer plenty of finishing options to suit a variety of workplaces and applications.

	MX-FN27 N	MX-FN28	MX-FN29	MX-FN30	MX-FN31
	Finisher	Finisher	Saddle Stitch Finisher	Finisher	Saddle Stitch Finisher
Max. paper capacity*1	500 sheets	1,000 sheets	1,000 sheets	3,000 sheets	3,000 sheets
Stapleless stapling	Yes	-	-	Yes	Yes
Manual stapling	Yes	-	-	Yes	Yes
Saddle stitching	-	-	Yes	-	Yes
Punching*2	Yes	Yes	Yes	Yes	Yes


^{*1:} A4 (8 $^{1}/_{2}$ " x 11"), 80 g/m 2

^{*2:} Requires optional punch module











Stapleless Stapler

To make paper recycling easy and to save on stapler costs, a staple-free stapler crimps the corners of paper to keep up to five sheets securely bound.



Manual Stapler

You can quickly staple documents at the MFP as needed without using a conventional stapler. A real time-saver if you want to, say, restaple documents that were unstapled for copying.



High-Efficiency Scanning


The MX-3560N/3060N's standard-equipped 100-sheet RSPF (reversing single pass feeder) efficiently feeds in either one- or two-sided originals. With a scanning speed of up to 80 opm* (one-sided) for both colour and B/W documents, these MFPs can complete large jobs with ease and efficiency.

* Originals per minute; when feeding A4 (8 1/2" \times 11") sheets



Multiple Distribution of Scanned Files

Scanned documents can be distributed in a number of ways. For example, they can be sent as e-mail attachments or they can be scanned directly to an FTP server for storage. A standard-equipped compact PDF function ensures that PDF files are sent and received smoothly. When you're scanning large-volume documents, the MFP saves the data on its hard disk and generates a URL for accessing that data. You can then e-mail recipients this URL rather than the full document, thereby reducing the load on the mail server.



Versatile Fax Functions (option)

- Super G3 Fax function
- Internet Fax lets you exchange faxes via e-mail
- PC-Fax sends PC documents directly to a fax machine via a phone line

Advanced Scan Functions

Automated Scanning*

Using advanced optical character recognition, these MFPs can correct the vertical orientation of pages mixed in upside down. This conveniently saves you the hassle of having to rescan those pages. The MFPs can also automatically determine scan resolution and skip blank pages in a multi-page document.

* Easy UI mode only

Multicrop Function

The Multicrop function automatically creates separate files for multiple different-sized documents—such as receipts and bills—that are scanned simultaneously.





Image Crop Function

This function lets you scan multiple photos all at once and save each one as a separate file. It can also crop photos on documents such as magazine pages and save them as individual files.



Business Card Management

It's easy to manage a database of business cards with the MX-3560N/3060N. The MFP reads contact details on each card via OCR and then exports those details to a third-party contact management system of your choice.

Document Management

Document Filing

Document Filing allows processed data to be saved in designated folders on the MFP's hard disk. From there, it can be instantly recalled for printing and sending at a later time.



Sharpdesk Document Management Software


Sharpdesk is an original Sharp application that provides integrated desktop management of documents in over 200 file formats, including scanned paper-based documents and those created with popular applications such as Word. With Sharpdesk, documents can be organised, edited, searched, and distributed with simple drag-and-drop operation. Features include thumbnail viewing, annotation tools for paper-free proofreading, optical character recognition, the ability to combine different types of files into a single document, and more.

ENVIRONMENT-FRIENDLY

With a view to minimising the environmental impact of its products, Sharp has applied its advanced technologies across all areas of these MFPs, including the hardware, firmware, electrical systems, and supplies.

Low TEC Value*1


In every respect, these MFPs have been designed to deliver exceptional energy efficiency. As a result, they boast a TEC value that is significantly lower than the maximum allowable values determined by ENERGY STAR®.



- $^{\star}1:$ Typical amount of energy consumed in a hypothetical week measured as stipulated under the ENERGY STAR programme.
- *2: Maximum TEC value allowable under the latest ENERGY STAR programme (version 2.0).
- *3: Measured at 230 V.

Quick-Heating Belt Fusing System

A newly developed quick-heating belt fusing system enables a short warm-up time of 10 seconds to reduce overall energy consumption.



Eco Recommendation

This function suggests environmentally friendly settings before a print*/copy command is executed from the control panel.

* For printing Document Filing data and direct printing (FTP/SMB/USB)



Eco Scan


The Eco Scan function saves energy by keeping the fusing system shut down during jobs that don't require its use—for example, during image sending and Document Filing.

Auto Power Shut-Off Mode

Based on prior usage patterns, the MFP automatically determines how long to wait before going into auto power shut-off mode. Shortly before this mode begins, a message appears on the LCD indicating that the MFP will soon shut down and giving you the option to continue operation.

Power ON/OFF Schedule

This function automatically turns the MFP on or off per administrator-set schedules.



Eco-Friendly Toner

New Mycrostoner-Crystal is filled with low-melting-point material. Compared to a conventional toner, this toner is able to fuse at lower temperatures, resulting in reduced energy consumption.


Automatic Toner Cartridge Eject Function

This function expels completely empty cartridges in preparation for replacement. The cartridge is replaced only after all the toner has been consumed, thereby ensuring efficient use of toner. Because you can tell at a glance when cartridges are empty, they are fast and easy to replace.



SYSTEM CONFIGURATION

System Configuration



MX-PN15B/C/D Punch Module (for MX-FN28/FN29) MX-PN16B/C/D Punch Module (for MX-FN30/FN31) MX-PF10 MX-FX15 MX-FWX1 Internet Fax Expansion Kit AR-SU1 MX-USX1/X5 Sharpdesk 1/5-License Kit MX-US10/50/A0 Sharpdesk 10/50/100-License Kit MX-AMX1 Application Integration Module MX-AMX2 **Application Communication Module** MX-AMX3 External Account Module MX-FR52U

Certain options may not be available in some areas.

Specifications for Options

MX-FN28/FN29/FN30/FN31/LC17 N.

Stapling capacity Staple

Staple position Staple mode

Stapleless staple

Stapleless staple mode

Manual staple mode

Manual staple

MX-TR20 Job S	.,,	CDA2 (1011 1011) + A5 (5 1/ 11 0 1/ 11±1)
Paper size		SRA3 (12" x 18") to A5 (5 ½" x 8 ½"*1)
Paper capacity		100 sheets (A4, 8 ¹ / ₂ " x 11")
MX-FN27 N Fin	isher	
Paper size	Non offset	SRA3 (12" x 18") to A5 (5 1/2" x 8 1/2"*1)
	Offset/staple	A3 (11" x 17") to B5*2 (8 1/2" x 11")
	Stapleless staple	A3 to B5*3 (11" x 17", 8 1/2" x 11"*4)
Paper capacity	Non offset/offset	500 sheets (A4 or smaller), 250 sheets (B4 or larger
	Staple	30 sets or 500 sheets (A4 or smaller),
		30 sets or 250 sheets (B4 or larger)
	Stapleless staple	30 sets
Stapling capacity	Staple	50 sheets (A4, B5*4), 30 sheets (A3, B4)
,	Stapleless staple	5 sheets*5
	Manual staple	Total paper thickness 4 mm or less (40 sheets)
Staple position	Staple mode	3 locations (front, rear, or 2-point stapling)
	Stapleless staple mode	1 location (rear)
	Manual staple mode	1 location
MX-FN28 Finis	her	
Paper size	Non offset	SRA3 (12" x 18") to A5 (5 ½" x 8 ½"*1)
	Offset	A3W (12" x 18") to A5 (5 1/2" x 8 1/2"*1)
	Staple	A3W (12" x 18") to B5 (7 1/4" x 10 1/2"*6)
Paper capacity	Finisher tray (non offset/offset)	1,000 sheets (A4), 500 sheets (other sizes)
.,,,	(staple)	100 sets or 1,000 sheets (A4),
	` ' '	50 sets or 500 sheets (other sizes)
	Top tray	250 sheets (A4 or smaller), 50 sheets (B4 or larger)
Stapling capacity		50 sheets (A4, B5), 30 sheets (A3, B4)
Staple position		3 locations (front, rear, or 2-point stapling)
MX-FN29 Sadd	le Stitch Finisher	
Paper size	Non offset	SRA3 (12" x 18") to A5 (5 ¹ / ₂ " x 8 ¹ / ₂ "* ¹)
	Offset	A3W (12" x 18") to A5 (5 1/2" x 8 1/2"*1)
	Staple	A3W (12" x 18") to B5 (7 1/4" x 10 1/2"*6)
Paper capacity	Finisher tray (non offset/offset)	1,000 sheets (A4), 500 sheets (other sizes)
	(staple)	100 sets or 1,000 sheets (A4),
	` ' '	50 sets or 500 sheets (other sizes)
	Top tray	250 sheets (A4 or smaller), 50 sheets (B4 or larger)
	Saddle stitch tray	7 sets of 11–15 sheets, 10 sets of 6–10 sheets,
	· ·	20 sets of 1–5 sheets
Stapling capacity	/	50 sheets (A4, B5), 30 sheets (A3, B4)
Staple position		3 locations (front, rear or 2-point stapling)
MX-FN30 Finisl	her	
Paper size	Non offset	SRA3 (12" x 18") to A5 (5 ½" x 8 ½"*1)
	Offset/staple	A3 (11" x 17") to B5*2 (8 1/2" x 11")
	Stapleless staple	A3, A4*4 (11" x 17", 8 ½" x 11"*4)
Paper capacity	Finisher tray (non offset/offset)	3,000 sheets (A4, B5), 1,500 sheets (other sizes)
	(staple)	200 sets or 3,000 sheets (A4, B5),
	,,	100 sets or 1,500 sheets (other sizes)
	(stapleless staple)	200 sets (A4), 100 sets (A3)

MX-FN31 Saddle Stitch Finisher

Paper size	Non offset	SRA3 (12" x 18") to A5 (5 1/2" x 8 1/2"*1)
	Offset/staple	A3 (11" x 17") to B5*2 (8 1/2" x 11")
	Stapleless staple	A3, A4*4 (11" x 17", 8 1/2" x 11"*4)
Paper capacity	Finisher tray (non offset/offset)	3,000 sheets (A4, B5), 1,500 sheets (other sizes)
	(staple)	200 sets or 3,000 sheets (A4, B5),
		100 sets or 1,500 sheets (other sizes)
	(stapleless staple)	200 sets (A4), 100 sets (A3)
	Top tray	250 sheets (A4*4, B5*4, A5), 125 sheets (other sizes
	Saddle stitch tray	10 sets of 11-20 sheets, 15 sets of 6-10 sheets,
		25 sets of 1-5 sheets
Stapling capacity	Staple	65 sheets (A4*4, B5*4), 30 sheets (other sizes)
	Stapleless staple	5 sheets*5
	Manual staple	Total paper thickness 9 mm or less (65 sheets)
Staple position	Staple mode	3 locations (front, rear, or 2-point stapling)
	Stapleless staple mode	1 location (rear)
	Manual staple mode	1 location

Punch Modules

Model name	For MX-FN27 N	MX-PN14B*7	MX-PN14C*8	MX-PN14D
	For MX-FN28/FN29	MX-PN15B*7	MX-PN15C*8	MX-PN15D
	For MX-FN30/FN31	MX-PN16B*7	MX-PN16C*8	MX-PN16D
Number of holes		2 or 3	2 or 4	4 (wide)
Paper weight			55 to 300 g/m ^{2 *9}	

MX-DE25 N Stand with 550-Sheet Paper Drawer

Paper size	SRA3 (12" x 18") to A5 (5 ½" x 8 ½")*10
Paper capacity	550 sheets

MX-DE26 N Stand with 2 x 550-Sheet Paper Drawer

Paper size	Upper and lower tray	SRA3 (12" x 18") to A5 (5 $^{1}/_{2}$ " x 8 $^{1}/_{2}$ ")*10
Paper capacity	Upper and lower tray	550 sheets each

MX-DE27 N Stand with 3 x 550-Sheet Paper Drawer

Paper capacity Upper/middle/lower tray 550 sheets each	Paper size	Upper/middle/lower tray	SRA3 (12" x 18") to A5 (5 1/2" x 8 1/2")*10
	Paper capacity	Upper/middle/lower tray	550 sheets each

MX-DE28 N Stand with 550 + 2,100-Sheet Paper Drawer

Paper size	Upper tray	SRA3 (12" x 18") to A5 (5 1/2" x 8 1/2")*10
	Lower right tray	A4, B5, 8 ¹ / ₂ " x 11"
	Lower left tray	A4, 8 1/2" x 11"
Paper capacity	Upper tray	550 sheets
	Lower right tray	900 sheets
	Lower left tray	1,200 sheets

MX-DE29 N Low Stand with 550-Sheet Paper Drawer*11

Paper size Paper capacity	58A3 (12" X 18") to A5 (5 -/2" X 8 -/2") - 3
MX-LC17 N Large Capacity Tray	
Paper size	A4, B5, 8 ¹ / ₂ " x 11"
Paper capacity	3,000 sheets

	MX-LT10 Long Paper Feeding Trav		
Paper capacity		3,000 sheets	
Paper size		A4, B5, 8 ¹ / ₂ " x 11"	

Max. 1,300 mm long

Paper capacity

Paper size

250 sheets (A4*4, B5*4, A5), 125 sheets (other sizes)

65 sheets (A4 \star4 , B5 \star4), 30 sheets (other sizes)

Total paper thickness 9 mm or less (65 sheets)

3 locations (front, rear, or 2-point stapling)

5 sheets*5

1 location

1 location (rear)

Note: All specifications relating to paper capacity refer to 80 g/m² paper. *1: Only short-edge feeding can be used with 5 ½" x 8 ½" paper. *2: Only long-edge feeding can be used with B5 paper. *3: Only long-edge feeding can be used with A4 and B5 paper. *4: Long-edge feeding. *5: Guaranteed stapleable weight is up to 64 g/m² (4 sheets up to 81.4 g/m² and 3 sheets up to 105 g/m²). *6: Only short-edge feeding can be used with 7 ½" x 10 ½" paper. *7: Accepts North American paper sizes. *8: Accepts ISO-standard paper sizes. *9: Guaranteed punchable weight is 60 to 128 g/m². *10: Only short-edge feeding can be used with A5 (5 ½" x 8 ½") paper. *11: Desktop use is also possible. Contact a Sharp customer representative for details.

SPECIFICATIONS (tentative)

General

A4 (8 1/2" x 11")*1: Max. 35/30 ppm **Engine speed**

A3 (11" x 17"): Max. 18/16 ppm

SRA3: Max. 16/15 ppm

Control panel display 10.1-inch colour LCD touchscreen

Max. SRA3 (12" x 18"), min. A5 (5 $^{1}/_{2}$ " x 8 $^{1}/_{2}$ "*2) Paper size

Paper capacity Standard: 650 sheets

(550-sheet tray and 100-sheet multi-bypass tray) (80 g/m²)

Maximum: 6,300 sheets

(650 sheets & optional 550 + 2,100-sheet tray and 3,000-sheet tray) Paper weight

Tray: 60 g/m² to 300 g/m² (16 lbs bond to 110 lbs cover)

Multi-bypass tray: 55 g/m² to 300 g/m²

(13 lbs bond to 110 lbs cover)

B/W: 4.7 sec.

Warm-up time*3

5GB (copy/print shared) 500GB HDD*4 Memory Rated local AC voltage ±10%, 50/60 Hz Power requirements

Max. 1.84 kW (220V to 240V), max. 1.44 kW (110V to 127V) Power consumption Dimensions (W x D x H)*5 608 x 650 x 834 mm (23 $^{15}/_{16}$ " x 25 $^{19}/_{32}$ " x 32 $^{27}/_{32}$ ")

79 kg (174.2 lbs) Weight (approx.)

Copier

Original paper size Max. A3 (11" x 17") First copy time*6 Full colour: 6.7 sec.

Continuous copy Max. 9,999 copies Resolution

Scan (colour): 600 x 600 dpi

Scan (B/W): 600 x 600 dpi, 600 x 400 dpi, 600 x 300 dpi Print (colour): 600 x 600 dpi, 9,600 (equivalent) x 600 dpi (depending on copy mode)

Print (B/W): 1,200 x 1,200 dpi, 600 x 600 dpi,

9,600 (equivalent) x 600 dpi (depending on copy mode)

Gradation Equivalent to 256 levels

Zoom range 25% to 400% (25% to 200% using RSPF) in 1% increments

Preset copy ratios Metric: 10 ratios (5R/5E), inch: 8 ratios (4R/4E)

Network Scanner

Scan method Push scan (via control panel)

Pull scan (TWAIN-compliant application) Scan speed*7 [Colour & B/W] Max. 80 originals/min. Push scan: 100, 150, 200, 300, 400, 600 dpi Resolution Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi

50 dpi to 9,600 dpi via user setting*8

File formats TIFF, PDF, PDF/A, encrypted PDF, compact PDF*9, JPEG*9,

XPS, searchable PDF, OOXML (pptx, xlsx, docx), text (TXT),

rich text (RTF)

Scanner utility Sharpdesk

Scan destinations Scan to e-mail/desktop/FTP server/network folder (SMB)/

USB drive/HDD

- Long-edge feeding.
- Only short-edge feeding can be used with $5^1/z^n \times 8^1/z^n$ paper. At rated voltage, 23° C (73.4° F). May vary depending on operating conditions and environment.
- HDD capacity depends on procurement and sourcing status.
- Including adjusters and protuberances. Short-edge feeding of A4 (8 1 /s" x 11") sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on operating conditions and environment.
- Based on Sharp's A4 standard chart, using document feeder, long-edge feeding, and one-sided scanning. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings.
- Resolution will vary depending on the size of the scanned area
- Colour/greyscale only.
- *10: Storage capacity will vary depending on the type of document and the scan settings.
- *11: Some features require option(s).
- *12: Based on Sharp's standard chart with approx. 700 characters (A4 or 8 ½" x 11" long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression

Document Filing

Document filing Main and custom folders: 20,000 pages or 3,000 files Quick file folder: 10,000 pages or 1,000 files capacity*10

Stored jobs*11 Copy, print, scan, fax

Storage folders Quick file folder, main folder, custom folder (max. 1,000 folders)

Network Printer

Resolution 1,200 x 1,200 dpi, 600 x 600 dpi, 9,600 (equivalent) x 600 dpi Interface USB 2.0 (host, high-speed), 10Base-T/100Base-TX/1000Base-T

Supported OS Windows Server® 2008, Windows Server® 2008 R2, Windows Server® 2012, Windows Server® 2012 R2, Windows Server® 2016, Windows Vista®, Windows® 7,

Windows® 8.1. Windows® 10.

Mac OS 10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12

TCP/IP

Network protocols **Printing protocols** LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP,

FTP for downloading print files, IPP, SMB, WSD PCL 6 emulation, Adobe® PostScript® 3™

Available fonts 80 fonts for PCL, 139 fonts for Adobe PostScript 3

B/W Facsimile (optional MX-FX15 required)

MH/MR/MMR/JBIG Compression method Communication Super G3/G3

protocol

PDL

Transmission time Less than 3 seconds*12


33,600 bps to 2,400 bps with automatic fallback Modem speed

From Standard (203.2 x 97.8 dpi) to Transmission resolution Ultra Fine (406.4 x 391 dpi) Recording size A3 to A5 (11" x 17" to 5 $^{1}/_{2}$ " x 8 $^{1}/_{2}$ ")

Memory 1GB (built-in) Greyscale levels Equivalent to 256 levels

Design and specifications are subject to change without prior notice

- The ENERGY STAR logo is a certification mark and may only be used to certify products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the US Environmental Protection Agency. The ENERGY STAR guidelines apply to products only in the US, the EU, Japan, Canada, Australia, New Zealand, and Taiwan.
- Google Drive, Google Cloud Print, Gmail, and Android are trademarks of Google Inc. The Google Drive trademark is used with permission from Google Inc. OneDrive, SharePoint, Active Directory, Microsoft, Excel, PowerPoint, Windows Server, Windows Vista, and Windows are either registered trademarks or trademarks of Microsoft Corporation in the US and/or other countries. Box is a trademark, service mark, or registered trademark of Box, Inc. AirPrint and Mac are trademarks of Apple Inc., registered in the US and other countries. Mopria is a trademark of Mopria Alliance, Inc. PCL is a registered trademark of Hewlett-Packard Company. Adobe and PostScript 3 are either registered trademarks or trademarks of Adobe Systems Incorporated in the US and/or other countries. PANTONE® and other Pantone trademarks are the property of, and are used under license agreement with, Pantone LLC. QR Code is a registered trademark of DENSO WAVE INCORPORATED in Japan and other countries. DirectOffice is a product of CSR Imaging US, LP. DirectOffice is a trademark of CSR Imaging US, LP, registered in the US and other countries, used with permission All other brand names and product names may be trademarks or registered trademarks of their respective owners. DIRECTOffice[®]



Distributed by:

